

Maxx , X-treme i STR

HERMAN JOSIP d.o.o.

Poduzeće za trgovinu i ugostiteljstvo
Donji Pustakovec 113
40323 Prelog

tel (040) 628-217, 628-230
fax (040) 628-229
e-mail: josip.herman@ck.t-com.hr



CJENIK AKUMULATORA EXIDE 2008

EXIDE MAXXIMA

2 godine jamstva

spiralna tehnologija, izuzetna izdržljivost na vibracije, visoki startni tok



12 Volti

Tip	Exide GPN-11	Kapacitet C 20	Startni tok A(EN)	Dimenzije mm				izvod polova	terminal	donje pričvršćenje	dodatno	zamjenjuje tipove	MPCijena Kn/kom
				D	Š	v	V						
MAX 800	G86070M01-A	43	800	230	172	185	205	0 / 1	1,21	SAE 3	AGM, VR		1.679,00
MAX 900	G34080M02-A	50	900	260	175	185	200	0 / 1	1,21	SAE 3	AGM, VR		1.809,00
MAX 900DC	G34075M01-A	50	900	260	172	185	200	0 / 1	1,8	SAE 3	AGM, VR		2.149,00

EXIDE X-TREME²

3 godine jamstva

za vozila sa povećanom potrebom za električnom energijom, bez održavanja, magično oko



12 Volti

Tip	Exide GPN-11	Kapacitet C 20	Startni tok A(EN)	Dimenzije mm				izvod polova	terminal	donje pričvršćenje	dodatno	zamjenjuje tipove	MPCijena Kn/kom
				D	Š	v	V						
XC03	LB1036C36-A	50	360	207	175		175	0	1	B13/B14	AWF, Ba	536 46/536 54 EX03/XP03	699,00
XC01	L01042C48-A	52	420	207	175		190	0	1	B13	AWF	544 59 EX05/XP01	759,00
XC06	LB2045C34-A	60	450	242	175		175	0	1	B13/B14	AWF, Ba	545 19/550 46 EX09/XP06	819,00
XC04	L02051C62-A	64	510	242	175		190	0	1	B13	AWF	555 59/562 19 EX12/XP04	849,00
XC08	LB3054C33-A	70	540	278	175		175	0	1	B13/B14	AWF, Ba	564 20/571 13 EX17/XP08	629,00
XC07	L03060C64-A	77	600	278	175		190	0	1	B13	AWF	574 12 EX19/XP07	969,00
XC10	L05080C44-A	100	800	353	175		190	0	1	B13	AWF	588 27/600 38 EX32/XP10	1.239,00

EXIDE STR

2 godine jamstva

bez održavanja, za višekratna punjenja i pražnjenja



12 Volti

Tip	Exide GPN-11	Kapacitet C 20	Startni tok A(EN)	Dimenzije mm				izvod polova	terminal	donje pričvršćenje	dodatno	zamjenjuje tipove	MPCijena Kn/kom
				D	Š	v	V						
STR 450	L01045A08-A	45	450	207	175		190	0	1	B03/B04	AWF, Ba		969,90
STR 540	L02054A08-A	55	540	242	175		190	0	1	B03/B04	AWF		1.069,00
STR 640	L03064A08-A	65	640	278	175		190	0	1	B03/B04	AWF, Ba		1.159,00
STR 720	L05072A06-A	88	720	353	175		190	0	1	3	AWF		1.369,00

Ovlašteni distributer EXIDE akumulatora

X-tra i X-tra Asia

EXIDE X-TRA+

3 godine jamstva

bez održavanja, najsnažniji akumulator na tržištu, "magic eye"



12 Volti

Tip	Exide GPN-11	kapacitet C 20	startni tok A(EN)	Dimenzije mm				izvod	terminal	donje pričvršćenje	specials	zamjenjuje tip	MPCijena Kn/kom
				D	Š	v	V						
XP03	LB1045C35-A	45	450	207	175		175	0	1	B13	AWF	536 46/ 536 54/EX01/02	608,78
XP01	L01051C46-A	50	510	207	175		190	0	1	B13	AWF	550 54/544 59 EX03/04/05	633,18
XP06	LB2060C33-A	55	600	242	175		175	0	1	B13	AWF	545 19/ 550 46/EX09/10	706,38
XP04	L02064C60-A	62	640	242	175		190	0	1	B13	AWF	555 59/561 11/ 562 19/EX11/12	742,98
XP08	LB3068C32-A	65	680	278	175		175	0	1	B13	AWF	564 20/565 30/ 571 13/ EX16	791,78
XP07	L03076C63-A	75	760	278	175		190	0	1	B13	AWF	566 38/572 30/ 574 12/EX18/19	816,18
XP09	L04085C01-A	80	850	315	175		190	0	1	B13	AWF	58035/58211/ EX23	Van proizvodnje
XP10	L05090C43-A	95	900	353	175		190	0	1	B13	AWF	58827/59226/60038 EX28/30/31/32	1.133,38
XP30	LH4085C10-A	105	900	313	175		205	0	1	B1	AWF	LSP13	1.238,30

EXIDE X-TRA

3 godine jamstva

za japanska i azijska vozila, bez održavanja, "magic eye"



12 Volti

Tip	Exide GPN-11	kapacitet C 20	startni tok A(EN)	Dimenzije mm				izvod	terminal	donje pričvršćenje	specials	zamjenjuje tip	MPCijena Kn/kom
				D	Š	v	V						
XP19	B19030C02-A	38	300	187	127	200	220	0	3/1	B1	AWF	53520 / EX 54	547,78
XP20	B19030C03-A	38	300	187	127	200	220	1	3/1	B1	AWF	53522 / EX 55	547,78
XP21	B24039C03-A	45	390	234	127	200	220	0	3/1	B1	AWF	54523 / 54577 / 54584 / EX 154	642,94
XP22	B24039C04-A	45	390	234	127	200	220	1	3/1	B1	AWF	54524 / 54551 / 54579 / EX 155	642,94
XP14	D23058C07-A	65	580	230	172	200	220	0	1	B1	AWF	56068 / EX 14	894,26
XP15	D23058C08-A	65	580	230	172	200	220	1	1	B1	AWF	56069 / EX 15	894,26
XP16	D26063C10-A	75	630	257	172	200	220	0	1	B1	AWF	57029 / EX 22	986,98
XP17	D26063C11-A	75	630	257	172	200	220	1	1	B1	AWF	57024 / EX 21	986,98
XP11	D31085C11-A	105	850	302	172	200	220	0	1	B1	AWF	60032 / EX26	1.340,78
XP18	D31085C12-A	105	850	302	172	200	220	1	1	B1	AWF	60033 / EX27	1.340,78

Excell i Classic

EXIDE EXCELL

2 godine jamstva

bez održavanja, Ca-Ca tehnologija, "magic eye"



12 Volti

Tip	Exide GPN-11	kapacitet C 20	startni tok A(EN)	Dimenzije				izvod	terminal	donje pričvršćenje	specials	zamjenjuje tip	MPCijena Kn/kom
				D	Š	v	V						
EX54	B19024C04-A	35	240	187	127	200	220	0	3	B00	AWF	53520	469,00
EX55	B19024C05-A	35	240	187	127	200	220	1	3	B00	AWF	53522	469,00
EX02	LB1037C10-A	43	370	207	175		175	0	1	B13/B14	AWF, Ba	53646/EX01	514,84
EX50	L00040C05-A	44	400	175	175		190	0	1	B13	AWF	54401	535,58
EX03	L01036C16-A	44	360	207	175		190	0	1	B13	AWF	544 59	523,38
EX04	L01036C17-A	44	360	207	175		190	1	1	B13	AWF	544 64	535,58
EX154	B24030C05-A	45	300	237	127		227	0	3	B00	AWF	54584	570,96
EX44	B24030C09-A	45	300	237	127		227	0	1	B00	AWF	54523	572,18
EX48	E02033C05-B	45	330	220	135		225	0	1	B01	AWF	54577	669,78
EX00	LB1045C29-B	45	450	207	175		175	0	19	B13/B14	AWF, Ba	54317	657,58
EX155	B24030C07-A	45	300	237	127		227	1	3	B00	AWF	54551	596,58
EX43	B24030C11-A	45	300	237	127		227	1	1	B00	AWF	54524	
EX49	E02033C11-A	45	330	220	135		225	1	1	B01	AWF	54579	
EX05	L01045C16-A	50	450	207	175		190	0	1	B13	AWF	55054	573,40
EX07	D20036C03-A	50	360	200	175	200	225	0	1	B1	AWF	550 41	669,78
EX08	D20036C04-A	50	360	200	175	200	225	1	1	B1	AWF	550 42	669,78
EX09	LB2051C11-A	50	510	242	175		175	0	1	B13/B14	AWF, Ba	545 19/550 46	681,98
EX10	LB2052C11-A	54	520	242	175		175	0	1	B13	AWF	55046 / EX09	645,38
EX13	LB2052C30-B	54	520	242	175		175	0	19	B13	AWF, Ba	55427	
EX11	L02046C16-A	55	460	242	175		190	0	1	B13	AWF	555 59/555 64	608,78
EX51	L02046C17-A	55	420	246	175		190	1	1	B13	AWF	55565	
EX14	D23039C13-A	60	390	230	170	200	225	0	1	B00	AWF	56068	730,78
EX15	D23039C14-A	60	390	230	170	200	225	1	1	B00	AWF	56069	730,78
EX12	L02054C16-A	62	540	242	175		190	0	1	B13	AWF	561 11/562 19	767,38
EX16	LB3055C10-A	65	540	278	175		175	0	1	B13/B14	AWF, Ba	563 18/565 30	779,58
EX18	L03055C16-A	66	550	278	175		190	0	1	B13	AWF	566 38/566 47	816,18
EX21	D26054C14-A	70	540	272	175	200	225	0	1	B09	AWF	57029	886,94
EX22	D26054C15-A	70	540	272	175	200	225	1	1	B09	AWF	57024	886,94
EX17	LB3067C10-A	71	670	278	175		175	0	1	B13/B14	AWF, Ba	564 20/571 13	886,94
EX59	LB3067C34-A	71	670	278	175		175	0	19	B13	AWF	57114	
EX19	L03068C16-A	74	680	278	175		190	0	1	B13	AWF	572 30/574 12	816,18
EX20	L03068C17-A	74	680	278	175		190	1	1	B13	AWF	572 19/574 13	889,38
EX23	L04060C03-A	80	600	315	175		190	0	1	B13	AWF	580 35/580 43	1.023,58
EX28	LB5076C08-A	85	760	353	175		175	0	1	B13	AWF	58515	1.084,58
EX31	L05070C13-A	88	700	353	175		190	0	1	B13	AWF	58827,59226	1.096,78
EX32	L05085C13-A	100	850	353	175		190	0	1	B13	AWF	600 38/600 44	1.121,18
EX26	D31072C15-A	100	585	310	175	200	225	0	1	B1	AWF	60032	1.139,48
EX27	D31072C16-A	100	720	310	175	200	225	1	1	B1	AWF	60033	1.139,48

EXIDE CLASSIC

2 godine jamstva



12 Volti

Tip	Exide GPN-11	kapacitet C 20	startni tok A(EN)	Dimenzije mm				izvod	terminal	donje pričvršćenje	specials	zamjenjuje tip	MPCijena Kn/kom
				D	Š	v	V						
532 011 024	32N030D01-A		240	233	132		168	0	4	B00			799,00
536 047 024	E01027D01-A		240	178	135	204	225	0	1	B01		532 26 / 532 28	569,00
560 005 064	G75063C01-A	60	640	235	175		180	1	21	B01		M3802	1.029,00
610 042 080	L06086C01-A	110	800	394	175		190	0	1	B03	Ga		1.449,00
077 015 036	G19036D01-A	77	360	178	175	166	191	0	1	B04		077 18/066 19	919,00
112 011 054	M07054D01-A	112	540	258	172	217	238	0	1	B00		112 25	1.219,00

6 Volti

EXIDE TRUCKS

2 godine jamstva



EXIDE Super Heavy Duty, izuzetno otporan na pražnjenja, bez održavanja

12 Volti

Tip	Exide GPN-11	kapacitet C 20	startni tok A(EN)	Dimenzije mm				izvod	terminal	donje pričvršćenje	dodatno	zamjenjuje tip	MPCijena Kn/kom
				D	Š	v	V						
640 003 076	D04076W06-A	140	760	513	189	195	223	3	1	B00	STE	640 20 / 640 32	1.799,00
680 003 110	D05110W08-A	180	1100	513	223	195	223	3	1	B00	STE	665 14 / 680 32	Po narudžbi
725 003 115	D06115W05-A	225	1150	513	276	216	242	3	1	B00	STE	700 27 / 725 11	Po narudžbi

EXIDE HDX Heavy Duty Extra, izuzetno visok startni tok, Ca-Ca tehnologija

12 Volti

Tip	Exide GPN-11	kapacitet C 20	startni tok A(EN)	Dimenzije mm				izvod	terminal	donje pričvršćenje	dodatno	zamjenjuje tip	MPCijena Kn/kom
				D	Š	v	V						
640 001 105	D04105W06-A	140	1050	513	189	195	223	3	1	B00	STE	640 03 / 650 38	Po narudžbi
680 001 115	D05115W08-A	180	1150	513	223	195	223	3	1	B00	STE	670 03 / 680 32	Po narudžbi
725 003 115	D06145W05-A	225	1150	518	279	216	242	3	1	B00	STE	725 11	2.649,00
725 002 145	D06145W06-A	225	1450	518	279	216	242	4	1	B00	STE	-	Po narudžbi

EXIDE Heavy Duty, otporan na vibracije i pražnjenja, Ca-Ca tehnologija

12 Volti

Tip	Exide GPN-11	kapacitet C 20	startni tok A(EN)	Dimenzije mm				izvod	terminal	donje pričvršćenje	dodatno	zamjenjuje tip	MPCijena Kn/kom
				D	Š	v	V						
600 027 060	D01068W01-A	100	600	413	175	195	220	0	1	B03		600 26 / 600 99	1.219,00
605 027 068	D02075W03-A	105	680	350	175	214	239	1	1	B00		605 98 / 610 48	1.199,00
605 028 068	D02075W05-A	105	680	350	175	214	239	0	1	B00		605 99 / 610 47	1.199,00
610 001 075	D02075W05-A	110	750	345	175		239	0	1	B01			1.219,00
610 038 054	D07090D04-A	110	540	286	269	208	230	2	1	B00			Po narudžbi
610 040 076	DB8076W01-A	110	760	514	175		210	3	1	B03		610 43 / 610 99	1.259,00
610 047 068	D02081C11-A	110	850	347	173		234	0	1	B00		590 17 / 605 28	1.299,00
620 034 068	D04068W01-A	120	680	513	189	195	223	3	1	B00		610 34 / 620 99	Po narudžbi
625 011 064	D03076W01-A	125	640	349	175	270	290	0	1	B00		625 12 / 625 99	1.399,00
625 013 064	D03076W02-A	125	640	349	175	270	290	1	1	B00		625 14	1.399,00
630 013 068	DB9100W01-A	130	680	514	218	186	208	3	1	B00		628 13 / 630 14	1.449,00
632 011 085	ATM090C01-A	132	850	508	174	185	205	0	1	B01			Po narudžbi
635 031 068	D04081D02-A	135	680	513	175	195	223	3	1	B03		620 35 / 640 36	Po narudžbi
635 043 100	DB8100W01-A	135	1000	514	175		210	3	1	B03		635 39 / 635 44	1.559,00
640 032 076	D04081W01-A	140	760	513	189	195	223	3	1	B00		635 30 / 640 99	1.559,00
643 029 095	DB9095W03-A	143	950	514	218		210	3	1	B03		643 14 / 643 99	1.499,00
650 099 090	D05090W01-A	150	900	513	223	195	223	3	1	B00		643 27	1.599,00
680 032 100	D05100W01-A	180	1000	513	223	195	223	3	1	B00		670 18 / 680 99	1.899,00
700 038 105	D06120W01-A	200	1050	518	276	216	242	3	1	B00		680 21 / 700 27	2.429,00
730 005 125	D06140W01-A	230	1250	518	276	216	242	3	1	B00		725 11 / 725 12	2.555,00

Gel, Multicraft, Nautilus

EXIDE GEL

2 godine jamstva

startno-servisni akumulator, bez održavanja, GEL tehnologija, NATO certifik



12 Volti

Tip	Maximalno pražnjenje %	kapacitet C 5	kapacitet C 20	kapacitet C 100	Dimenzije mm			Startni tok (EN)	izvod	terminal	donje pričvršćenje	dodatno	zamjenjuje tip	MPCijena Kn/kom
					D	Š	V							
G 16	100%	13	16	18	181	76	167		0	5	B00	VR	518 14	1.049,00
G 25	100%	20	24	27	176	167	126		0	5	B00	VR		999,00
G 40	100%	29	36	40	210	175	175		0	5	B04	VR, RF		1.599,00
G 40 S	100%	30	38	42	210	175	175		0	1	B04	VR	954 06	1.469,00
G 60	100%	50	60	67	278	175	190	470	0	1	B03	VR	574 12 / 956 02	2.099,00
G 80	100%	65	80	90	353	175	190	570	0	1	B03	VR	588 27 / 958 03	2.399,00
G 85	100%	70	85	95	330	171	236	470	1	1	B00	VR	596 16 / 605 27	2.449,00
G 110	100%	90	110	125	286	269	230	720	2	1	B00	VR	625 23	3.599,00
G 120	100%	95	120	130	513	189	223	720	3	1	B00	VR	635 45 / 961 51	3.659,00
G 120 S	100%	95	120	130	345	175	290		0	1	B00	VR	635 50 / 960 02	3.799,00
G 140	100%	110	143	155	513	223	225	900	3	1	B00	VR	680 32 / 963 51	3.899,00
G 210	100%	170	210	235	518	276	242	1050	3	1	B00	VR	700 38 / 968 01	5.249,00
6 Volti														
G 180/6	100%	145	180	205	244	190	275		1	1	B00	VR	918 01	1.649,00

EXIDE MULTICRAFT

servisni akumulator



12 Volti

Tip	Maximalno pražnjenje %	kapacitet C 5	kapacitet C 20	kapacitet C 100	Dimenzije mm			Startni tok(EN)	izvod	terminal	donje pričvršćenje	dodatno	zamjenjuje tip	MPCijena Kn/kom
					D	Š	V							
956 02	80%	60	80	85	278	175	190		0	1	B03	Ga, Si	580 24 / 956 01	999,00
958 03	80%	80	95	105	353	175	190		0	1	B03	Ga, Si	957 51 / 957 52	1.139,00
960 02	80%	-	125	-	349	175	290		0	1	B00		625 12 / 625 29	1.889,00
961 51	80%	115	140	160	513	189	223		3	1	B00	Si	960 51	2.139,00
963 51	80%	135	175	190	513	223	223		3	1	B00	Si	680 25	2.379,00
968 01	80%	180	230	250	518	276	242		3	1	B00	Si	730 11 / 730 27	2.989,00
6 Volti														
918 01	80%	180	240	255	244	190	275		0	1	B00	Si	240 15	2.559,00

EXIDE NAUTILUS

2 godine jamstva

startno-servisni akumulator, bez održavanja, Ca-Ca tehnologija, "magic eye"



12 Volti

Tip	Maximalno pražnjenje %	kapacitet C 20	startni tok (EN)	Dimenzije mm			Startni tok(EN)	izvod	terminal	donje pričvršćenje	dodatno	zamjenjuje tip	MPCijena Kn/kom
				D	S	V							
575 03	80%	80	640	278	175	205	640	1	1	B13	Si, Ga		1.099,00
615 00	80%	115	950	345	175	239	950	1	1	B00	Si, Ga		1.649,00

Bike

EXIDE BIKE



EXIDE GEL, gel-tehnologija za motocikle, bez održavanja

12 Volti

Tip	Japanski tip oznaka	Exide GPN-11	kapacitet C 20	startni tok A (EN)	Dimenzije mm			izvod	terminal	specials	MPCijena Kn/kom
					D	Š	V				
G 19	51814,51913		19	170	186	82	174	0	5	Gel	1.209,00

EXIDE BIKE AGM, nova tehnologija za motocikle, visoka startna snaga, bez održavanja

12 Volti

503 001 003	ETR4A - BS	C34003B01-A	3	30	114	48	85	4	5	AGM	339,00
503 014 003	ETX 4L-BS	C35005B02-A	3	30	114	71	86	0	5	AGM	339,00
504 012 003	ETX 5L-BS	C36007B02-A	4	30	114	71	106	0	5	AGM	369,00
506 014 005	ETX 7L-BS	C37008B01-A	6	50	114	71	131	0	5	AGM	499,00
506 015 005	ETX 7A-BS	C53009B01-A	6	50	151	88	94	1	5	AGM	499,00
507 019 007	ET7B-4	C50008A01-A	7	70	150	65	93	1	5	AGM	519,00
508 012 008	ETX 9-BS	C54012B01-A	8	80	152	88	115	1	5	AGM	539,00
509 099 011	ET9 B4	C73011A01-A	8	110	150	70	105	1	5	AGM	
509 022 019	ETZ 10S	C53019B02-A	8,6	190	150	87	93	1	5	AGM	
510 012 009	ETX 12-BS	C55018B02-A	10	90	152	88	131	1	5	AGM	599,00
510 015 015	ET 12-B4	C51018A01-A	10	150	149	69	127	1	5	AGM	529,00
512 014 010	ETX 14-BS	C56020B02-A	12	100	152	88	147	1	5	AGM	709,00
512 001 014	ET14B-4		12	135	152	70	145	1	5	AGM	
513 001 023	ETX 15 L-BS		13	230	175	87	130	0	5	AGM	
816 000 000	ETX 16-BS-1	C57022B01-A	14	220	149	86	160	1	5	AGM	729,00
520 014 018 (81801)	ETX 20L-BS	C56020B02-A	18	260	177	88	156	0	4	AGM	759,00

EXIDE BIKE

6 Volti

004 012 001	6N4B-2A	C07001D01-A	4	10	102	48	96	1	K	GaL	129,00
004 014 001	6N4-2A-7	C04001D01-C	4	10	71	71	96	1	30	GaL	129,00
006 011 003	6N6-3B	C09003D02-A	6	30	100	58	112	7	5	GaO	140,30
008 011 004	B49-6	C06004D01-A	8	40	95	85	166	1	5	-	259,00
012 011 008	6N11A-1B	C10008D02-A	11	80	123	61	137	0	5	GaR	269,00
012 014 008	6N11A-3B	C10008D04-A	11	80	123	61	137	7	5	GaR	269,00

12 Volti

503 012 001	EB 3L-A	C31002D01-A	3	10	100	58	112	0	5	GaL	157,38
503 013 001	EB 3L-B	C31002D02-A	3	10	100	58	112	0	5	GaR	157,38
504 011 002	EB 4L-B	C39006D01-A	4	20	121	71	93	0	5	GaR	169,58
505 012 003	EB 5L-B	C38006D02-A	5	30	121	61	131	0	5	GaR	206,18
506 011 004	12N5,5-3B	C41006D02-A	5,5	40	136	61	131	0	5	GaR	218,38
506 012 004	12N5,5A-3B	C32004D01-A	5,5	40	104	91	115	0	5	GaR	218,38
507 012 004	EB 7L-B	C42010D02-A	7	40	137	76	134	0	5	GaR	303,78
508 001 006	EB 7C-A	C40013D01-A	8	60	130	90	114	0	5	GaR	445,30
509 014 008	EB 9-B	C43012D01-A	9	80	138	77	141	1	5	GaR	340,38
509 015 008	EB 9L-B	C43012D03-A	9	80	138	77	141	0	5	GaR	340,38
509 016 008	EB 9L-A2	C43012D02-A	9	80	138	77	141	0	5	GaL	340,38
511 012 009	EB 10L-A2	C47016D02-A	11	90	136	91	146	0	5	GaL	352,58
512 011 012	EB 12A-A	C45015D01-A	12	120	136	81	162	1	5	GaL	352,58
512 012 012	EB 12B-B2	C59017D01-A	12	120	161	91	131	1	5	GaR	352,58
512 013 012	EB 12AL-A	C45015D02-A	12	120	136	82	162	0	5	GaL	352,58
514 011 014	EB 14L-A2	C49018D01-A	14	140	135	90	167	0	5	GaL	397,72
514 012 014	EB 14-A2	C49018D02-A	14	140	136	91	168	1	5	GaL	397,72
514 013 014	EB 14L-B2	C49018D04-A	14	140	136	91	168	0	5	GaR	397,72
516 015 016	EB 16B-A1	C60022D01-A	16	160	162	92	163	1	5	GaL	512,40
516 016 012	EB 16AL-A2	C70022D01-A	16	120	207	72	164	0	5	GaL	512,40
519 011 019	EB 16L-B	C62024D02-A	19	190	176	101	156	0	4	GaR	596,58
519 012 019	EB 16-B	C62024D01-A	19	190	177	102	157	1	4	GaR	596,58
519 013 017	12C16A-3A	C66019D03-A	19	170	186	82	171	0	4	GaL	603,90
520 012 020	E50-N18L-A	C71026D02-A	20	200	206	92	164	0	5	GaL	596,58
520 015 018	BMW	C66024D02-A	20	180	186	82	171	0	4	GaR	603,90
525 015 022	E60-N24L-B	C68024D01-A	25	220	186	130	171	0	4	GaR	730,78
530 030 030	E60N30L-A	C68030D01-A	30	300	186	130	171	0	4	GaR	767,38
530 034 030	E60N28-A	C68030D03-A	30	300	186	130	171	1	4	GaR	767,38
816 001 016	HYB 16A-A	C57022B01-A	16	160	151	91	182	1	5	GaL	596,58

Herman Josip d.o.o., Tel. +385 40 628 217, Fax +385 40 628 229, Mob: +385 98 241 828,

e-mail: josip.herman@ck.t-com.hr, Internet stranica: www.hermanjosip.com

Startkraft, Fulmen, Peugeot

AESTHETIC / STARTKRAFT

2 godine jamstva

bez održavanja, Ca-Ca tehnologija



12 Volti

Tip	Exide GPN-11	Kapacitet C 20	Startni tok A(EN)	Dimenzije mm				izvod polova	terminal	donje pričvršćenje	dodatno	zamjenjuje tipove	MPCijena Kn/kom
				D	Š	v	V						
544 59	L01036C14-B	44	360	211	175		190	0	1	B03	Ga		499,00
544 64	L01036C15-B	44	360	212	175		190	1	1	B03	Ga		499,00
555 59	L02046C14-B	55	420	246	175		190	0	1	B03	Ga		559,00
555 65	L02046C15-B	55	420	246	175		190	1	1	B03	Ga		599,00
565 30	LB3055C31-A	65	540	278	175		175	0	1	B03	Ga		699,00
574 12	L03068C14-B	74	680	278	175		190	0	1	B03	Ga		749,00
600 38	L05085C11-C	100	750	353	175		190	0	1	B03	Ga		999,00
600 32	D31072C07-A	100	680	297	175	195	215	0	1	B03			999,00
600 33	D31072C08-A	100	680	297	175	195	215	1	1	B03			999,00

FULMEN Formula Top

2 godine jamstva

bez održavanja, Ca-Ca tehnologija, "Magic eye"



12 Volti

Tip	Exide GPN-11	Kapacitet C 20	Startni tok A(EN)	Dimenzije mm				izvod polova	terminal	donje pričvršćenje	dodatno	zamjenjuje tipove	MPCijena Kn/kom
				D	Š	v	V						
FF02	LB1037C10-A	43	370	207	175		175	0	1	B13/B14	AWF, Ba	EX02	529,00
FF03	L01036C16-A	44	360	207	175		190	0	1	B13	AWF	EX03/F45	549,00
FF05	L01045C16-A	50	450	207	175		190	0	1	B13	AWF	EX05/F50	599,00
FF10	LB2052C11-A	54	520	242	175		175	0	1	B13	AWF	EX10/F55	649,00
FF11	L02046C16-A	55	460	242	175		190	0	1	B13	AWF	EX11	599,00
FF12	L02054C16-A	62	540	242	175		190	0	1	B13	AWF	EX12/f60	799,00
FF16	LB3055C10-A	65	540	278	175		175	0	1	B13/B14	AWF, Ba	EX16/F65	799,00
FF19	L03068C16-A	74	680	278	175		190	0	1	B13	AWF	EX19/F70	849,00
FF32	L05085C13-A	100	850	353	175		190	0	1	B13	AWF	EX32/F95	1.149,00

EXIDE za PEUGEOT

12 Volti

Tip	Exide GPN-11	Kapacitet C 20	Startni tok A(EN)	Dimenzije mm				izvod polova	terminal	donje pričvršćenje	dodatno	zamjenjuje tipove	MPCijena Kn/kom
				D	Š	v	V						
5600.QS	L00039C02-A	42	390	175	175		190	0	1	B13			
5600.KJ	L01048C26-A	50	510	207	175		190	0	1	B13			
5600.JY	L02080C26-A	50	800	242	175		190	0	1	B13			
5600.KH	L02065C26-A	60	640	242	175		190	0	1	B13			
5600.GR	L03070C26-A	70	720	278	175		190	0	1	B13			

Kutija za otpadne akumulatore s poklopcem

Tip	Exide GPN-11	Kapacitet C 20	Startni tok A(EN)	Dimenzije mm				izvod polova	terminal	donje pričvršćenje	dodatno	količina za nar.	MPCijena Kn/kom
				D	Š	v	V						
Kutija	00376270											104	
Kutija	00376270											20	
Poklopac	00376350											104	
Poklopac	00376350											20	

Herman Josip d.o.o., Tel. +385 40 628 217, Fax +385 40 628 229, Mob: +385 98 241 828,
e-mail: josip.herman@ck.t-com.hr, Internet stranica: www.hermanjosip.com



Sound

G A R A G E

www.hermanjosip.com

**PRAVI PARTNER U IZRADI AUDIO SISTEMA
U VAŠEM VOZILU**