

# CRUNCH

CAR AUDIO USA UNLIMITED



PREISLISTE 2007/2008


Slika	Proizvod Barkod/Dimenzije	Opis Opcija Proizvoda	MPC KN
<b>BLACKMAXX</b>			
<b>Pojačala</b>			
	2-Channel Amplifier BlackMaxx Serie 806576180514 *301 251x55x185 mm	CRUNCH AMP BLACK MAXX MXB-280 2 x 80 / 160 Watt at 4 / 2 Ohms Highpass 60-1200 Hz, Lowpass 40-150 Hz Bass-EQ, Tweeter-EQ, Line Outputs <b>AKCIJA -10%!!!</b>	1099,99
	2-Channel Amplifier BlackMaxx Serie 806576212515 *302 251x55x227 mm	CRUNCH AMP BLACK MAXX MXB-2125 2 x 125 / 250 Watt at 4 / 2 Ohms Highpass 60-1200 Hz, Lowpass 40-150 Hz Bass-EQ, Tweeter-EQ, Line Outputs <b>AKCIJA -10%!!!</b>	1499,99
	2-Channel Amplifier BlackMaxx Serie 806576220510 *303 251x55x285 mm	CRUNCH AMP BLACK MAXX MXB-2200 2 x 200 / 400 Watt at 4 / 2 Ohms Highpass 60-1200 Hz, Lowpass 40-150 Hz Bass-EQ, Tweeter-EQ, Line Outputs <b>AKCIJA -10%!!!</b>	1899,99
	2-Channel Amplifier BlackMaxx Serie 806576225515 *304 251x55x310 mm	CRUNCH AMP BLACK MAXX MXB-2250 2 x 250 / 500 Watts at 4 / 2 Ohms Highpass 60-1200 Hz, Lowpass 40-150 Hz Bass-EQ, Tweeter-EQ, Line Outputs <b>AKCIJA -10%!!!</b>	2279,99
	4-Channel Amplifier BlackMaxx Serie 806576412519 *306 251x55x310 mm	CRUNCH AMP BLACK MAXX MXB-4125 4 x 125 / 250 Watt at 4 / 2 Ohms Highpass 60-1200 Hz, Lowpass 40-150 Hz Bass-EQ, Tweeter-EQ, Line Outputs <b>AKCIJA -10%!!!</b>	2279,99
	4-Channel Amplifier BlackMaxx Serie 806576417514 *307 251x55x400 mm	CRUNCH AMP BLACK MAXX MXB-4175 4 x 175 / 350 Watts at 4 / 2 Ohms Highpass 60-1200 Hz, Lowpass 40-150 Hz Bass-EQ, Tweeter-EQ, Line Outputs <b>AKCIJA -10%!!!</b>	2649,99
	5-Channel Amplifier BlackMaxx Serie 806576055211 *308 260x57x420 mm	CRUNCH AMP BLACK MAXX BLX-5520 4 x 100 + 1 x 300 Watt at 4 Ohms Highpass 80-1200 Hz & Lowpass 40-150 Hz. CH 5: Lowpass 40-400 Hz, Variable Bass-Boost <b>AKCIJA -10%!!!</b>	3259,99
	Mono-Block BlackMaxx Serie 806576200017 *309 260x57x380 mm	CRUNCH MONO BLOCK BLACK MAXX BLX-2000D 1 x 600 / 1000 / 1500 Watts RMS at 4 / 2 / 1 Ohms 1 x 2000 Watts max. Power Subsonicfilter 20-50 Hz, Lowpass 50-250 Hz Full-Range Line Outputs, Bass-Remote <b>AKCIJA -10%!!!</b>	4549,99
<b>BLACKMAXX</b>			
<b>Zvučnici</b>			
	Coaxial System 10cm *1103 BlackMaxx Serie	CRUNCH 2-WEG KOAX BLACK MAXX BMX42CX Power 50/100 Watts, Impedance 4 Ohms 13 mm Neodym-Tweeter, Chromed Cone, Rubber Surround, Chromed Pole Plates, Installation Depth 55 mm, Inst. Diameter 98 mm	449,99

Slika	Proizvod Barkod/Dimenzije	Opis Opcija Proizvoda	MPC KN
	Coaxial System 13cm *1104 BlackMaxx Serie 806576211457	CRUNCH 2-WEG KOAX BLACK MAXX BMX52CX Power 75/150 Watts, Impedance 4 Ohms 13 mm Neodym-Tweeter, Chromed Cone, Rubber Surround, Chromed Pole Plates, Installation Depth 62 mm, Inst. Diameter 115 mm	525,00
 <p><b>PREIS-TIPP / Test in autohifi 02/2007 - Oberklasse 56 Punkte</b> <b>Fazit des Testers: Das Crunch-Kompo ist jeden Euro wert!</b></p>			
	<b>NOVO 2008</b> Kompo-System 16 cm BlackMaxx-Serie	CRUNCH BLACK MAXX 2-Wege System MXB-6.2C Snaga 125/250 Watt, Impedanz 4 Ohm 25 mm Gewebe-Kalotte, Gummisicke, 12 dB Weiche mit Überlastschutz Einbautiefe 69 mm, Einbauöffnung 144 mm	1099,00
	Tube 20 cm Passiv BlackMaxx Serie 806576113201 74 x 31 cm	CRUNCH GROUND POUNDER BMGPP8 Tube Passiv 8" (20 cm) BassTube, 4 Ohm Impedance High Power Woofer with 37 mm Voice Coil 150/300 Watts, with VU-Meter, black	1739,99
	Tube 20 cm Aktiv BlackMaxx Serie 806576114208 74 x 31 cm	CRUNCH GROUND POUNDER BMGPA8 Tube Aktiv 8" (20 cm) Aktive-Bass Tube, Power 150 Watts adjustable Gain, 80/120 Hz LP, VU-Meter High/Low-Inputs, Phase Switch, black	2279,99
	Subwoofer 30 cm BlackMaxx Serie 806576001249	CRUNCH WOOFER BLACKMAXX CMX12 Power 250/400 Watts, Impedance 2 x 4 Ohms 50 mm / 2,0" Voice Coil, Steel Basket Fs 34 Hz, Qts 0,55, VAS 67 L, 89 dB Inst. Depth 130 mm, Inst. Diameter 280 mm	752,00
	Single-Bandpass 30 cm BlackMaxx Serie 806576910053 52x39x45/32 cm	CRUNCH SINGLE BANDPASS SMAXX-12 Power 400 Watts, Impedance 4 Ohms Single Bandpass Box with BMX-12 Subwoofer New white LED- Illumination Chrome-Cone, 2,5" (64 mm) Voice Coil	2120,00
	Dual-Bandpass 2x30 cm BlackMaxx Serie 806576910060 83x39x48/35 cm	CRUNCH DUAL BANDPASS DMAXX-12 Power 800 Watts, Impedance 4+4 Ohms Dual Bandpass Box with BMX-12 Subwoofer New white LED-Illumination Chrome-Cone, 2,5" (64 mm) Voice Coil	3399,99
	Subwoofer-Tube 30 cm BlackMaxx-Serie 806576910039 D=34 cm / L=66 cm	CRUNCH Tube-Subwoofer TMAXX-300 Power 400 Watts, Impedance 4 Ohms with BMX-12 Subwoofer, Chrome-Cone 2,5" (64 mm) Voice Coil <b>AKCIJA -10%!!!</b>	1184,00
	Vented Box 30 cm BlackMaxx-Serie 806576910046 41x39x45/35	CRUNCH Single-Gehäusesub CMAXX-12 Power 400 Watts, Impedance 4 Ohms Vented Box with BMX-12 Subwoofer Chrome-Cone, 2,5" (64 mm) Voice Coil	1499,99
 <p style="text-align: center;"><b>Pojačala</b></p>			
	2-Channel Amplifier Drive-V-Serie 806576220312	CRUNCH AMP DRIVE V-2200 2 x 100 / 150 Watts at 4 / 2 Ohms 1 x 400 Watts max. Power Highpass 10-2500 Hz, Lowpass 40-4000 Hz, Bass Boost, 0-20 Hz, 0-120 Hz	1739,00

Slika	Proizvod Barkod/Dimenzije	Opis Opcija Proizvoda	MPC KN
	2-Channel Amplifier Drive-V-Serie 806576230311 262x52x287 mm	CRUNCH AMP DRIVE V-2300 2 x 150 / 225 Watts at 4 / 2 Ohms 1 x 600 Watts max. Power Highpass 10-2500 Hz, Lowpass 40-4000 Hz, Bandpass-Fuction, Bass-Boost, VU-Meters	2279,99
	2-Channel Amplifier Drive-V-Serie 806576240310 262x52x342 mm	CRUNCH AMP DRIVE V-2400 2 x 200 / 300 Watts at 4 / 2 Ohms 1 x 800 Watts max. Power Highpass 10-2500 Hz, Lowpass 40-4000 Hz, andpass-Fuction, Bass-Boost, VU-Meters	2652,00
	2-Channel Amplifier Drive-V-Serie 806576260318 262x52x423 mm	CRUNCH AMP DRIVE V-2600 2 x 300 / 400 Watts at 4 / 2 Ohms 1 x 1200 Watts max. Power Highpass 10-2500 Hz, Lowpass 40-4000 Hz, andpass-Fuction, Bass-Boost, VU-Meters	3399,00
	2-Channel Amplifier Drive-V-Serie 806576280316 262x52x522 mm	CRUNCH AMP DRIVE V-2800 2 x 350 / 500 Watts at 4 / 2 Ohms 1 x 1600 Watts max. Power Highpass 10-2500 Hz, Lowpass 40-4000 Hz, andpass-Fuction, Bass-Boost, VU-Meters	4100,00
	4-Channel Amplifier Drive-V-Serie 806576420316 262x52x342 mm	CRUNCH AMP DRIVE V-4200 4 x 100 / 150 Watts at 4 / 2 Ohms 2 x 400 Watts max. Power Highpass 10-2500 Hz, Lowpass 40-4000 Hz, andpass-Fuction, Bass-Boost, VU-Meters	2652,00
	4-Channel Amplifier Drive-V-Serie 806576430315 262x52x423 mm	CRUNCH AMP DRIVE V-4300 4 x 150 / 225 Watts at 4 / 2 Ohms 2 x 600 Watts max. Power Highpass 10-2500 Hz, Lowpass 40-4000 Hz, Bandpass-Fuction, Bass-Boost, VU-Meters	3259,00
	Mono-Block Drive-V-Serie 806576120315 262x52x423 mm	CRUNCH AMP DRIVE V-1200 Mono-Block 1 x 250 / 500 / 750 Watts RMS at 4 / 2 / 1 Ohms 1 x 1200 Watt max. Power Subsonicfilter 15-55 Hz, Lowpass 40-4000 Hz Bass-Boost 0-12 dB, Bass-Remote, VU-Meter	3259,00
	Mono-Block Drive-V-Serie 806576180319 262x52x590 mm	CRUNCH AMP DRIVE V-1800 Mono-Block 1 x 500 / 750 / 1200 Watts RMS at 4 / 2 / 1 Ohms 1 x 1800 Watt max. Power Subsonicfilter 15-55 Hz, Lowpass 40-4000 Hz Bass-Boost 0-12 dB, Bass-Remote, VU-Meter	4552,00
	<b>Zvučnici</b>		
	Component Kit 13cm Drive-Serie 806576522324	Crunch Drive 2-Wege System CDS5.2C Power 80/160 Watts, Impedance 4 Ohms 25 mm Neodyme-Tweeter, Titanium coated Mylar 12 dB Crossover with Level Adjustment Installation Depth 55mm, Install.Diameter115 mm	1208,00
	Coaxial System 10cm Drive-Serie 806576420323	CRUNCH 2-WEG KOAX DRIVE CDS42CX Power 60/120 Watts, Impedance 4 Ohms 13 mm Neodym-Mylar Tweeter Anodized Blue Cone, Rubber Boot Inst. Depth 50 mm, Inst. Diameter 98 mm	494,00

Slika	Proizvod Barkod/Dimenzije	Opis Opcija Proizvoda	MPC KN
	Single-Bandpass 30 cm Fatboy-Serie 806576910084 48x38x45/32 cm	CRUNCH SINGLE BANDPASS X-FAT400 Power 400 Watts, Impedance 4 Ohms Single Bandpass Box with Plexiglas and blue LED-Illumination 1 x 12" Chrome-Cone FatBoy Subwoofer	2099,00
	Dual-Bandpass 2x30 cm Drive-Serie 806576910091 83x38x48/38 cm	CRUNCH DOPPEL-BANDPASS X-FAT800 Power 800 Watts, Impedance 4+4 Ohms Dual Bandpass Box with Plexiglas and blue LED-Illumination 2 x 12" Chrome-Cone FatBoy Subwoofers	3399,00
	Single-Bandpass 30 cm Fatboy-Serie 806576910114 60x38x45/32 cm	CRUNCH SINGLE BANDPASS X-FAT450 Power 450 Watts, Impedance 4 Ohms Single Bandpass Box with Plexiglas and blue LED-Illumination, 2,5" Voice Coil 1 x 12" FatBoy Cast Basket Subwoofer	2272,00
	Single-Bandpass 30 cm Fatboy-Serie 806576910015 47x39x49/32 cm	CRUNCH SINGLE BANDPASS X-FAT500 Power 500 Watts, Impedance 4 Ohms Single Bandpass Box with Plexiglas and blue LED-Illumination, 2,5" Voice Coil 1 x XFAT12" Cast Basket Subwoofer	2649,00
	Single-Bandpass 38 cm Fatboy-Serie 806576910138 49x41x64/39 cm	CRUNCH SINGLE BANDPASS X-FAT1500 Power 800 Watts, Impedance 4 Ohms Single Bandpass Box with Plexiglas and blue LED-Illumination, 3" Voice Coil 1 x XFAT15" Cast Basket Subwoofer	3799,00
	Dual-Bandpass 2x30 cm Fatboy-Serie 806576910022 78x39x49/32 cm	CRUNCH DUAL BANDPASS X-FAT1000 Power 1000 Watts, Impedance 2+2 Ohms Dual Bandpass Box with Plexiglas and blue LED-Illumination, 2,5" Voice Coils 2 x XFAT12" Cast Basket Subwoofer	3799,00
	Bandpass aktiv 25 cm Drive-Serie 713808504174 31x31x46 cm	CRUNCH Single Gehäusesub CAB110 LED aktiv Power 150 Watts, Aktive Subwoofer Bandpass, variable Gain, 80/120 Hz LP High/Low-Inputs, Phase Switch	1740,00
	Bandpass 25 cm Drive-Serie 806576910077 31x31x39 cm	CRUNCH Single Gehäusesub CB100 LED Power 250 Watts, Impedance 4 Ohms Single Bandpass Box with Plexiglas Chrome-Cone, blue LED-Illumination	1359,00
	Bandpass 30 cm Drive-Serie 806576910152 35x35x46 cm	CRUNCH Single Gehäusesub CB120 LED Power 250 Watts, Impedance 4 Ohms Single Bandpass Box with Plexiglas Chrome-Cone, blue LED-Illumination	1666,00
	Subwoofer-Tube 30 cm Drive-Serie 7138085022488 D=34 cm / L=66 cm	CRUNCH Tube-Subwoofer DTS 12 Power 300 Watts, Impedance 4 Ohms with DS-12 Subwoofer	1208,00
	Subwoofer 30 cm Fatboy-Serie	CRUNCH SUBWOOFER "FATBOY" DS 12 E Power 400 Watts, Impedance 4 Ohms 50 mm / 2,0" Voice Coil, Steel Basket Fs 35 Hz, Qts 0,44, VAS 62 L, 90 dB	1132,00

Slika	Proizvod Barkod/Dimenzije	Opis Opcija Proizvoda	MPC KN
	Subwoofer 30 cm Drive-Serie 806576120322	CRUNCH WOOFER DRIVE CDS-12 Power 180/300 Watts, Impedance 4 Ohms 50 mm / 2,0" Voice Coil, Steel Basket, Fs 24 Hz, Qts 0,27, VAS 145 L, 91 dB Inst. Depth 134 mm, Inst. Diameter 282 mm <b>Akcija vrijedi za više od dva komada</b>	<del>828,00</del> 599,00 <b>AKCIJA!!!</b>
<b>P</b> <b>POWERZONE</b> <b>Pojačala</b>			
	2-Channel Amplifier Power-Zone Serie 806576910169 260x62x200 mm	CRUNCH NOXX AMP POWER ZONE PZ-125.2 2 x 125 / 200 Wattw max. at 4 / 2 Ohms 2 x 75 / 125 Watts RMS an 4 / 2 Ohms Highpass 60-1200 Hz, Lowpass 30-250 Hz Bass-Boost 0-12 dB, Full-Range Line Outputs	1129,00
	2-Channel Amplifier Power-Zone Serie 806576910176 260x62x320 mm	CRUNCH NOXX AMP POWER ZONE PZ-200.2 2 x 200 / 400 Watts max. at 4 / 2 Ohms 2 x 125 / 200 Watts RMS at 4 / 2 Ohms Highpass 60-1200 Hz, Lowpass 30-250 Hz Bass-Boost 0-12 dB, Full-Range Line Outputs	1740,00
	4-Channel Amplifier Power-Zone Serie 806576910190 260x62x320 mm	CRUNCH NOXX AMP POWER ZONE PZ-125.4 4 x 125/ 250 Watts max. at 4 / 2 Ohms 4 x 75 / 125 Watts RMS at 4 / 2 Ohms Highpass 60-1200 Hz, Lowpass 30-250 Hz Bass-Boost 0-12 dB, Summed Line Outputs	1899,00
	4-Channel Amplifier Power-Zone Serie 806576910206 260x62x360 mm	CRUNCH NOXX AMP POWER ZONE PZ-175.4 4 x 175/ 350 Watts max. at 4 / 2 Ohms 4 x 100 / 150 Watts RMS at 4 / 2 Ohms Highpass 60-1200 Hz, Lowpass 30-250 Hz Bass-Boost 0-12 dB, Summed Line Outputs	2272,00
	4-Channel Amplifier Power-Zone Serie 806576910213 260x62x420 mm	CRUNCH NOXX AMP POWER ZONE PZ-225.4 4 x 225/ 450 Watts max. at 4 / 2 Ohms 4 x 125 / 200 Watts RMS at 4 / 2 Ohms Highpass 60-1200 Hz, Lowpass 30-250 Hz Bass-Boost 0-12 dB, Summed Line Outputs	2652,00
	Mono-Block Power-Zone Serie 806576100027 260x62x290 mm	CRUNCH MONO BLOCK POWER ZONE P1000.1D 1 x 350 / 700 Watts RMS at 4 / 2 Ohms 1 x 1000 Watts max. Power Subsonicfilter 20-50 Hz, Lowpass 50-250 Hz Full-Range Line Output, Bass-Remote	3032,00
	Mono-Block Power-Zone Serie 806576200024 260x62x380 mm	CRUNCH MONO BLOCK POWER ZONE P2000.1D 1 x 350 / 700 Watts RMS at 4 / 2 Ohms 1 x 2000 Watts max. Power Subsonicfilter 20-50 Hz, Lowpass 50-250 Hz Full-Range Line Output, Bass-Remote	4199,00
<b>P</b> <b>POWERZONE</b> <b>Zvučnici</b>			
	Coaxial System 10cm Power-Zone Serie 806576042327	CRUNCH 2-WEG KOAX POWER ZONE PZ42XX Power 40/80 Watts, Impedance 4 Ohms 13 mm Neodym-Mylar Tweeter Paper Honeycomb Cone, Rubber Boot, Inst. Depth 48 mm, Inst. Diameter 98 mm	418,00

Slika	Proizvod Barkod/Dimenzije	Opis Opcija Proizvoda	MPC KN
	Component Kit 13cm Power-Zone Serie 806576502326	CRUNCH POWER ZONE KOMPO PZ5.2CXX Power 50/100 Watts, Impedance 4 Ohms 13 mm Mylar Neodym-Tweeter, Rubber Boot, 12 dB In-Line Crossover Inst. Depth 57 mm, Inst. Diameter 120 mm	899,00
	Square-Woofer 30 cm Power-Zone Serie 806576101215	CRUNCH NOXX SQUARE WOOFER PZ12R Power 300 Watts, Impedance 4 Ohms 50 mm / 2,0" Voice Coil, Steel Basket Fs 29 Hz, Qts 0,36, VAS 70 L, 88 dB Installation Depth 130 mm	752,00
<b>GANGSTA</b> <span style="float: right;"><b>Zvučnici</b></span>			
	Tube 20 cm Passive Power-Zone Serie 806576112204 74 x 31 cm	CRUNCH NOXX Tube Passiv NTA8Y yellow/red 8" (20 cm) BassTube, 4 Ohm Impedance High Power Woofer with 37 mm Voice Coil 150/300 Watts, with VU-Meter, yellow	1740,00
	Tube 20 cm Aktive Power-Zone Serie 806576111207 74 x 31 cm	CRUNCH NOXX Tube Aktiv NTP8Y yellow/red 8" (20 cm) Aktive-Bass Tube, Power 150 Watts adjustable Gain, 80/120 Hz LP, VU-Meter High/Low-Inputs, Phase Switch, yellow	2272,00
	Coaxial System 10cm Gangsta-Serie	CRUNCH 2-WEG KOAX GANGSTA G42CX Power 50/100 Watts, Impedance 4 Ohms 13 mm Neodym-Tweeter, yellow Steel Basket, wasserresistant Poly Cone, Rubber Surround, chromed Pole Plates, Multi Array Magnets, Inst. Depth 45 mm, Inst. Diameter 98 mm	372,00
	Component Kit 13cm Gangsta-Serie 806576211358	CRUNCH 13 cm GANGSTA KOMPO G5.2C Power 80/160 Watts, Impedance 4 Ohms 25 mm Neodym Tweeter, In-Line Crossover wasserresistant Poly Cone, Rubber Surround, chromed Pole Plates, Multi Array Magnets, Inst. Depth 50 mm, Inst. Diameter 115 mm	752,00
<b>GROUND POUNDER</b> <span style="float: right;"><b>Zvučnici</b></span>			
	Coaxial System 10cm Ground Pounder 806576212300	CRUNCH KOAX GROUND POUNDER GP42CX Leistung 60/120 Watt, Impedanz 4 Ohm ultraflach durch innenliegende Magnete 13 mm Neodym-Hochtonkalotte Einbautiefe 34 mm, Einbauöffnung 96 mm	372,00
	Coaxial System 16cm Ground Pounder 806576212324	CRUNCH KOAX GROUND POUNDER GP62CX Leistung 100/200 Watt, Impedanz 4 Ohm ultraflach durch innenliegende Magnete 13 mm Neodym-Hochtonkalotte Einbautiefe 44 mm, Einbauöffnung 145 mm	524,00
	<b>NOVO 2008</b> System 16.5cm Ground Pounder 405x78x302	CRUNCH GROUND POUNDER SISTEM GP6.2C Snaga 100/200 Watt, Otpor zavojnice 4 Oma ultraflach durch innenliegende Magnete 25 mm Neodym-Hochtonkalotte Einbautiefe 28 mm, Einbauöffnung 214 mm	949,00